

Package: prithulib (via r-universe)

September 16, 2024

Type Package

Title Perform Random Experiments

Version 1.0.2

Author Prithul Chaturvedi <prithulc@gmail.com>

Maintainer Prithul Chaturvedi <prithulc@gmail.com>

Description Enables user to perform the following: 1. Roll 'n' number of die/dice (roll()). 2. Toss 'n' number of coin(s) (toss()). 3. Play the game of Rock, Paper, Scissors. 4. Choose 'n' number of card(s) from a pack of 52 playing cards (Joker optional).

License GPL

Encoding UTF-8

LazyData true

RoxygenNote 6.1.1

NeedsCompilation no

Date/Publication 2019-01-11 17:30:03 UTC

Repository <https://snapchaturvedi.r-universe.dev>

RemoteUrl <https://github.com/cran/prithulib>

RemoteRef HEAD

RemoteSha 74d89e99deeb13b7cb2745cce7f3f1238a7f1a6a

Contents

| | |
|-----------------|---|
| cards | 2 |
| roll | 2 |
| rpc | 3 |
| toss | 4 |

| | |
|--------------|----------|
| Index | 5 |
|--------------|----------|

cards *Choosing a card*

Description

An event of choosing a card from a pack of 52 cards (Joker optional)

Usage

```
cards(n, joker = FALSE)
```

Arguments

n is the number of cards to be chosen (default 1)
joker TRUE includes the Joker card in the deck (default FALSE)

Value

The chosen card(s)

Author(s)

Prithul Chaturvedi

Examples

```
cards(3, joker = TRUE)
```

roll *Rolling an unbiased die*

Description

Rolls a die for 'n' number of times

Usage

```
roll(n = 1, size = 6)
```

Arguments

n is the number of times to roll the die (default 1)
size is the number of faces on the die (default 6)

rpc

3

Value

Outcome(s) of rolling of the die

Author(s)

Prithul Chaturvedi

Examples

`roll(2,10)`

rpc

Rock, Paper, Scissors

Description

Play Rock, Paper, Scissors

Usage

`rpc()`

Value

A move

Author(s)

Prithul Chaturvedi

Examples

`rpc()`

`toss`*Tossing an unbiased coin*

Description

Tosses a coin for 'n' number of times

Usage

```
toss(n = 1)
```

Arguments

n is the number of times the coin is tossed (default 1)

Value

Outcome(s) of tossing the coin

Author(s)

Prithul Chaturvedi

Examples

```
toss(3)
```

Index

cards, [2](#)

roll, [2](#)

rpc, [3](#)

toss, [4](#)